



FLORA - Landcapse Aplications:

- * Lawn & Tree Projector
- * Decorative Frost type
- * Compound Tree Projector
- * Tree Hold Projector
- * Walk Path Lighting
- * Plaza Lighting
- * Building Washer & Facade Projector

Advantages

1

Smooth surface

2

Treble anti-glare

- Anti-glare glass
- Sink light source
- Built-in honeycomb diffuser


3

Self-lock design




4

Hidden junction



6

Multi-RGBW method



5

180+360° adjustable


180°

360°




7

Lens options



8

uniform mixing



9


Multi-applications, apply to park, palza etc



- | | | |
|----------------------------|----------------------------|---------------------------|
| ① Ground type | ⑥ Hold tree projector | ⑪ Building flood lighting |
| ② Half-buried type | ⑦ Walkpath lighting | |
| ③ Lawn & tree projector | ⑧ Plaza lighting | |
| ④ Building facade lighting | ⑨ Building column lighting | |
| ⑤ Multi-function projector | ⑩ Building lighting | |



AP1 Ground type

- ©Low position, good stealthiness
- ©High strength base
- ©Built-in junction
- ©Apply to park, garden etc



AP2 Half buried type

- ©0-20mm height adjustable
- ©Shooting angle lockable
- ©SS cover with 5mm tempered glass
- ©Apply to park, garden etc



AP3 Lawn & tree projector

- © Bollard & tree projector together
- © Multi-function illuminate footpath & bush together
- © Pole with laser cut tech, built-in LED light available
- © Telescopic pole design, apply to different tree height



Ap4 Decorative frost type

- © Multi-function used for decoration and wall path
- © Projection effect available
- © Custom-made pole available
- © Pole holder dia 89/114mm optional



AP5 Compound tree projector

- © Pole install, with optional shooting direction & angle
- © Multi-function illuminate lower and higher trees
- © Custom-made pole available
- © Pole holder dia 89/114mm optional




AP6 Tree hold projector

- © Lamp base with flexible spring, holding tree not hurt tree grow
- © Pull-out diameter changable design
- © Anti-glare diffuser optional
- © Bird's nest available use for hide lamp





AP7 Walk path lighting

- © Pole install, with optional shooting direction & angle
- © Frost glass diffuser with gentle light output
- © Apply to garden, walk path, plaza etc





AP8 Plaza Lighting

- © Multi-direction & multi-angle available
- © Standard with tempered pole, custom made pole available
- © Anti-glare diffuser optional
- © Apply to garden, walk path, plaza etc





AP9 Building column projector

- © Equipped with 3-5° lens with super narrow shoot angle
- © Double joint design, apply to different install method
- © Apply building column lighting


**AP10** Building washer & projector

- © Multi-direction & multi-angle available
- © Multi-joint design, apply to different install method
- © Uniform light output, install install
- © Screws hiddn design




AP11 Building flood lighting

- © Pole install or ground install
- © Multi-angle and multi-direction available
- © Optional diffuser available
- © Apply building flood lighting



AP12 Building facade projector

- © Pole install
- © Multi-angle and multi-direction available
- © Optional diffuser available
- © Apply building flood lighting



FLORA



LED Compound Light



DIMON
TECHNOLOGY


AP13 Arch lighting

- © Wall install with hidden screws
- © Multi-angle and multi-direction available
- © Optional diffuser available
- © Apply arch or rooftop lighting



AP14 Shadow projector

- © Pole install, custom pole available
- © 3-6m pole available
- © Optional shadow design



Mounting Bracket : AP1



18W Max



32W Max



60W Max



125W Max

Mounting Bracket : AP9



18W Max



32W Max



60W Max





125W Max

FLORA

LED Compound Light




- ADC12 low cuprum die-cast aluminum with anti-UV powder coating;
- Multi-anti glare design, efficient control glare;
- Built-in heat sinker, provides smooth surface and slim appearance;
- High strength horseshoe gear with supporter self-locker offers stable body;
- Hidden junction provides nice appearance and more safty;
- IP66 and IK08 protection;
- Optional accessories apply to park, garden, plaza, building facade etc




DIMON
TECHNOLOGY


30W 3°




30W 5°




60W 3°




60W 5°




60W 7°




60W 15°




120W 7°




120W 15°




60W 25°




60W 40°




120W 25°




120W 40°




60W 60°




60W 45*150°



120W 60°




120W 45*150°



FLORA




- ADC12 low cuprum die-cast aluminum with anti-UV powder coating;
- Multi-anti glare design, efficient control glare;
- Built-in heat sinker, provides smooth surface and slim appearance;
- High strength horseshoe gear with supporter self-locker offers stable body;
- Hidden junction provides nice appearance and more safty;
- IP66 and IK08 protection;
- Optional accessories apply to park, garden, plaza, building facade etc




DIMON
TECHNOLOGY


11W 3°




11W 5°




22W 3°




22W 5°




15W 7°




15W 15°




30W 7°




30W 15°




15W 25°




15W 40°




30W 25°




30W 40°




15W 60°




30W 60°




FLORA-DIA-190mm




Standard Cover



High cover(anti-glare)




Rotatable diffuser




Star exterior anti-glare shield


FLORA-DIA-160mm




Standard Cover



High cover(anti-glare)




Rotatable diffuser



Star exterior anti-glare shield


FLORA-DIA-260mm




Standard Cover



High cover(anti-glare)




Rotatable diffuser



Star exterior anti-glare shield


Accessory

DIA160 or DIA135mm




Extension supporter

AP1



Spike 400mm



Spike 600mm


AP3



Bollard Pole 460


Telescope Pole 460-700

DIA 190 or DIA 260mm




Extension supporter

AP5



89 Holder



108 Holder

114 Holder

Mounting Bracket Selection

	AP1	AP2	AP3	AP4	AP5	AP6	AP7	AP8	AP9	AP10	AP11	AP12	AP13	AP14
DIA 190mm	●	●	●	●	●	●	●	●	●	●	●	●	●	×
DIA 160mm	●	●	●	×	●	●	×	×	●	●	●	×	●	×
DIA 260mm	●	●	●	●	●	●	●	●	●	●	●	●	●	●
DIA 135mm	●	×	●	×	×	×	×	×	●	●	●	●	●	×

LED Compound Light