


BATESA


For LED T5 / T8 Tube



Polycarbonate Prismatic Diffuser



T8 Twin



T8 Single

- Steel Sheet with White Powder Coating
- Polycarbonate Prismatic for resistant dust and moth
- Transmittance rate of the prismatic Polycarbonate plate: 80%
- Compatible with LED T8 or LED T5 Tube lamp
- Integrated LED Driver 0/1-10V and DALI and Zigbee wireless
- Comply with Hot Wire Testing: 850°C
- Options : Reflector or Polycarbonate Prismatic Diffuser

Project	Fixture#	Date
		Firm

Ordering Information

Choose the option that suits your need and write its corresponding code on the appropriate line to form the product code.

Example product code: [BATESA-14W](#)

BATESA - -
POWER

POWER		POWER	
Code	Description	Code	Description
6W	1 x 2 feet 6W LED T5 / T8	12W	2 x 2 feet 6W LED T5 / T8
7W	1 x 2 feet 7W LED T5 / T8	14W	2 x 2 feet 7W LED T5 / T8
8W	1 x 2 feet 8W LED T5 / T8	16W	2 x 2 feet 8W LED T5 / T8
9W	1 x 2 feet 9W LED T5 / T8	18W	2 x 2 feet 9W LED T5 / T8
10W	1 x 2 feet 10W LED T5 / T8	20W	2 x 2 feet 10W LED T5 / T8
12W	1 x 4 feet 12W LED T5 / T8	24W	2 x 4 feet 12W LED T5 / T8
13W	1 x 4 feet 13W LED T5 / T8	26W	2 x 4 feet 13W LED T5 / T8
14W	1 x 4 feet 14W LED T5 / T8	28W	2 x 4 feet 14W LED T5 / T8
15W	1 x 4 feet 15W LED T5 / T8	30W	2 x 4 feet 15W LED T5 / T8
16W	1 x 4 feet 16W LED T5 / T8	32W	2 x 4 feet 16W LED T5 / T8
18W	1 x 4 feet 18W LED T5 / T8	36W	2 x 4 feet 18W LED T5 / T8
20W	1 x 4 / 5 feet 20W LED T5 / T8	40W	2 x 4 / 5 feet 20W LED T5 / T8
22W	1 x 4 / 5 feet 22W LED T5 / T8	44W	2 x 5 feet 22W LED T5 / T8
24W	1 x 4 / 5 feet 24W LED T5 / T8	48W	2 x 4 / 5 feet 24W LED T5 / T8
25W	1 x 4 / 5 feet 25W LED T5 / T8	50W	2 x 5 feet 25W LED T5 / T8
30W	1 x 4 / 5 feet 30W LED T5 / T8	60W	2 x 5 feet 30W LED T5 / T8

Polycarbonate Prismatic Diffuser




Metal Reflector V shape




Technical Drawing

T5 Batten



Metal Reflector V shape




Single Tube
With Reflector




Single Tube



Twin Tube
With Reflector




Twin Tube




Unit: mm

Technical Drawing


T8 Batten




Twin Tube




Single Tube




Polycarbonate Prismatic Diffuser



Twin Tube




Single Tube




Unit: mm


Technical Drawing T5





Twin Tube




Single Tube



Polycarbonate Prismatic Diffuser



Twin / Single Tube



Unit: mm