

DENSO-X

LED Pendant Fixture




- Product specifications: round (as shown above)
- Product material: Glass lamp body and aluminium
- Light source model: LED
- Product process: cutting, grinding, polishing
- Applicable scenarios: bedroom, study, entrance hall, etc.b

Technical Data

Luminaire Type- 安裝方式 Tipo de luminaria

Pendant Mounted Type 吊裝燈具 Tipo de montaje colgante
(The pendant cord length is customizable)

Beam Angle	180°
Input Voltage-輸入電壓-Voltaje de entrada	AC 220 -240V 50/60HZ
Power Consumption Max-燈具功率 Consumo de energía Max	5W 7W 10W
Color Temperature -色溫 Temperatura del color	2700K 3000K 4000K
Housing materials-外殼材料	Glass Body and Aluminium mounting bracket
Housing Color 外殼顏色 color de la carcasa	Black / White / Gold / Chrome
Operating Temperature Range / 工作溫度範圍 Rango de temperatura de funcionamiento	-30 °C / +50 °C
Operating Humidity -工作濕度 Humedad de funcionamiento	0~90%, non-condensing-不結霜 sin condensación
Dimension-尺寸-Dimensión	Refer to Drawing 詳細請看圖紙 The pendant cord length is customizable
Ingress Protection-防護等級 Protección de ingreso	IP20
Luminaire Efficacy 燈具效率	260 Lm/w(2700K), 380 Lm/w((3000K), 500 Lm/w((4000K),
Certification-認證-Certificación	  

Project	Fixture#	Date
		Firm



Ordering Information


Choose the option that suits your need and write its corresponding code on the appropriate line to form the product code.

Example product code: [DENSO-X-5W](#)

DENSO-X - -
[POWER](#)


POWER	
Code	Description
5W	5W@ Diameter 直徑 : 120mm
7W	7W@ Diameter 直徑 : 150mm
10W	10W@Diameter 直徑 : 200mm

Track-mounted




5W

Surface-mounted



7W

Low voltage system inserts



10W