


HANNAH@ FENCE 118

Balcony or Podium platform Application





- Balcony or Podium platform Application
- The metal guardrail welded on the ground is made of 316 stainless
- steel 316 stainless steel Plate 30x8mm and 50x10mm
- 316 stainless steel T Section Steel 155x100x8mm
- Fixed on the concrete with M10 HILTI Anchor Bolt

HANNAH@ FENCE 118 Balcony or Podium platform Application



Technical Data

Mai	ior	Ma	terial:

• Stainless Steel Grade S316L with ASTM A511 and Plate with ASTM A240 • Welding comply BS EN 1011-1; BS EN 1011-2; BS EN ISO 15614 • Stainless Steel Fasteners A4-70 comply wiht BS EN ISO 3506-1. • M10.S.S A4-70 Blot & Nut

Finishes

Certification

Hairline Finish



Project	Fixture#	Date
		Firm




Ordering Information

Choose the option that suits your need and write its corresponding code on the appropriate line to form the product code.

Example product code:

HANNAH@FENCE-118 -



Drawing Status :

Ref NO.:

Client

Management:

Supplier:



Technology

DIMON Technology Ltd.

Tel: 00852-3916 5876 Fax: 00852-21203398 Http://www.dimontechnology.com E-mail:gary@dimontechnology.com

Project:

Job Title:

HANNAH@FENCE 118

Drawing Name:

RAILING ELEVATION , PLAN AND DETAILS

Drawing NO.: RL-011

Drawing Scale: AS SHOW

Drawing Date: 2021/01/31

Drawing: Cai

Collate: Joyi

Auditing: Gray Hui

Drawing Version: 1

-50x10mm THK. S.S. PLATE

— 155x100x8mm THK. BUILT-UP T SECTION

— 2 NOS. M10 HILTI HST3-R SCREW ANCHOR @600 c/c MAX.